

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
13B: Colo-----	60	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell Slope	1.00 0.50 0.01
Vesser-----	30	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell Slope	1.00 1.00 0.50 0.01
23C: Arispe-----	90	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.86
23C2: Arispe-----	90	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.86
41: Sparta-----	90	Not limited		Not limited		Not limited	
41B: Sparta-----	100	Not limited		Not limited		Somewhat limited Slope	0.12
51: Vesser-----	95	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.39	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.39
56: Cantril-----	90	Not limited		Very limited Depth to saturated zone	0.95	Not limited	

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
56B: Cantril-----	90	Not limited		Very limited Depth to saturated zone	0.95	Somewhat limited Slope	0.01
57: Rushville-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
58D2: Douds-----	100	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
58E2: Douds-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
63: Chelsea-----	90	Not limited		Not limited		Not limited	
63B: Chelsea-----	100	Not limited		Not limited		Somewhat limited Slope	0.12
65E2: Lindley-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
65E3: Lindley-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
65F2: Lindley-----	100	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
65G: Lindley-----	95	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell	1.00 0.50
75: Givin-----	95	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Somewhat limited Shrink-swell	0.50
80B: Clinton-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell Slope	0.50 0.01
80C2: Clinton-----	95	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
80D2: Clinton-----	95	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell Depth to saturated zone	0.63 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
81B: Clinton-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell Slope	0.50 0.01
81C2: Clinton-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
115D: Chelsea-----	90	Very limited Slope	0.96	Very limited Slope	0.96	Very limited Slope	1.00

FIELD OFFICE TECHNICAL GUIDE Sec. II
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
130: Belinda-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
131B: Pershing-----	100	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.01
131C2: Pershing-----	100	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.86
132B: Weller-----	90	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.01
132C2: Weller-----	95	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.86
132D2: Weller-----	100	Very limited Shrink-swell Slope	1.00 0.63	Very limited Shrink-swell Depth to saturated zone Slope	1.00 0.95 0.63	Very limited Slope Shrink-swell	1.00 1.00
133: Colo-----	90	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50
140: Sparta-----	95	Not limited		Not limited		Not limited	

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
152: Marshan-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
154G: Douds-----	90	Very limited Slope Shrink-swell	1.00 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 0.50 0.15	Very limited Slope Shrink-swell	1.00 0.50
162B: Downs-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
163B: Fayette-----	90	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
163C2: Fayette-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.86 0.50
172: Wabash-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
173: Hoopeston-----	85	Somewhat limited Depth to saturated zone	0.39	Very limited Depth to saturated zone	1.00	Somewhat limited Depth to saturated zone	0.39
175: Dickinson-----	90	Not limited		Not limited		Not limited	
175B: Dickinson-----	95	Not limited		Not limited		Somewhat limited Slope	0.01
177: Saude-----	90	Not limited		Not limited		Not limited	

FIELD OFFICE TECHNICAL GUIDE Sec. II
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
179C: Gara-----	95	Somewhat limited Shrink-swell Slope	0.50 0.01	Somewhat limited Shrink-swell Slope	0.50 0.01	Very limited Slope Shrink-swell	1.00 0.50
180: Keomah-----	95	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Very limited Shrink-swell	1.00
180B: Keomah-----	95	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Very limited Shrink-swell Slope	1.00 0.01
208: Landes-----	90	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 0.35	Very limited Flooding	1.00
211: Edina-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
220: Nodaway-----	90	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.61 0.50	Very limited Flooding Shrink-swell	1.00 0.50
222C: Clarinda-----	95	Very limited Shrink-swell Depth to saturated zone	1.00 0.39	Very limited Shrink-swell Depth to saturated zone	1.00 1.00	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.86 0.39

FIELD OFFICE TECHNICAL GUIDE Sec. II
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
222C2: Clarinda-----	95	Very limited Shrink-swell Depth to saturated zone	1.00 0.39	Very limited Shrink-swell Depth to saturated zone	1.00 1.00	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.86 0.39
223C: Rinda-----	100	Very limited Shrink-swell Depth to saturated zone	1.00 0.39	Very limited Shrink-swell Depth to saturated zone	1.00 1.00	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.86 0.39
223D2: Rinda-----	100	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Shrink-swell Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
226: Lawler-----	90	Not limited		Very limited Depth to saturated zone	0.95	Not limited	
260: Beckwith-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
263: Okaw-----	100	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
291: Atterberry-----	90	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Shrink-swell	0.50
		Depth to saturated zone	0.39	Shrink-swell	0.50	Depth to saturated zone	0.39
315: Alluvial Land-----	90	Not rated		Not rated		Not rated	
354: Marsh-----	90	Not rated		Not rated		Not rated	
362: Haig-----	100	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
363: Haig-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
364: Grundy-----	95	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00
		Depth to saturated zone	0.07	Depth to saturated zone	1.00	Depth to saturated zone	0.07
364B: Grundy-----	95	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00
		Depth to saturated zone	0.07	Depth to saturated zone	1.00	Depth to saturated zone	0.07
						Slope	0.01
380: Mahaska-----	85	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone	0.95	Somewhat limited Shrink-swell	0.50
				Shrink-swell	0.50		

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
424D2: Lindley-----	60	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
Keswick-----	30	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Depth to saturated zone Slope Shrink-swell	1.00 0.63 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 1.00 0.39
424D3: Lindley-----	60	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
Keswick-----	30	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Depth to saturated zone Slope Shrink-swell	1.00 0.63 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 1.00 0.39
425C2: Keswick-----	95	Very limited Shrink-swell Depth to saturated zone	1.00 0.39	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.86 0.39
425D2: Keswick-----	95	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Depth to saturated zone Slope Shrink-swell	1.00 0.63 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 1.00 0.39

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
425D3: Keswick-----	100	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Shrink-swell	1.00
		Depth to saturated zone	0.39	Shrink-swell	0.50	Depth to saturated zone	0.39
452C2: Lineville-----	100	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone	1.00	Somewhat limited Slope	0.86
		Depth to saturated zone	0.39	Shrink-swell	0.50	Shrink-swell	0.50
						Depth to saturated zone	0.39
453: Tuskeego-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
478G: Nordness-----	60	Very limited Slope	1.00	Very limited Slope	1.00	Very limited Slope	1.00
		Depth to hard bedrock	1.00	Shrink-swell	1.00	Depth to hard bedrock	1.00
		Shrink-swell	1.00	Depth to hard bedrock	1.00	Shrink-swell	1.00
Rock Outcrop-----	30	Not rated		Not rated		Not rated	
484: Lawson-----	95	Very limited Flooding	1.00	Very limited Flooding	1.00	Very limited Flooding	1.00
		Depth to saturated zone	0.39	Depth to saturated zone	1.00	Depth to saturated zone	0.39
				Shrink-swell	0.50		

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
485: Spillville-----	90	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.61 0.50	Very limited Flooding Shrink-swell	1.00 0.50
499D2: Nordness-----	100	Very limited Depth to hard bedrock Shrink-swell Slope	1.00 1.00 0.96	Very limited Shrink-swell Depth to hard bedrock Slope	1.00 1.00 0.96	Very limited Slope Depth to hard bedrock Shrink-swell	1.00 1.00 1.00
499F: Nordness-----	85	Very limited Slope Depth to hard bedrock Shrink-swell	1.00 1.00 1.00	Very limited Slope Shrink-swell Depth to hard bedrock	1.00 1.00 1.00	Very limited Slope Depth to hard bedrock Shrink-swell	1.00 1.00 1.00
520: Coppock-----	95	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.39	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 0.50	Very limited Flooding Shrink-swell Depth to saturated zone	1.00 0.50 0.39
587: Chequest-----	90	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
594C2: Galland-----	100	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.61	Very limited Shrink-swell Slope	1.00 0.86

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
594D2: Galland-----	100	Very limited Shrink-swell Slope	1.00 0.63	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.61	Very limited Slope Shrink-swell	1.00 1.00
594D3: Galland-----	100	Very limited Shrink-swell Slope	1.00 0.63	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.61	Very limited Slope Shrink-swell	1.00 1.00
594E2: Galland-----	100	Very limited Shrink-swell Slope	1.00 1.00	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 0.61	Very limited Slope Shrink-swell	1.00 1.00
687: Watkins-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
688: Koszta-----	90	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Somewhat limited Shrink-swell	0.50
720: Raccoon-----	85	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 1.00 1.00
730B: Nodaway-----	60	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.61 0.50	Very limited Flooding Shrink-swell	1.00 0.50

FIELD OFFICE TECHNICAL GUIDE Sec. II
NONAGRICULTURAL INTERPRETATIONS

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
Cantril-----	30	Somewhat limited Shrink-swell	0.50	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
763D2: Fayette-----	40	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
Exette-----	30	Somewhat limited Slope Shrink-swell	0.63 0.50	Somewhat limited Slope Shrink-swell	0.63 0.50	Very limited Slope Shrink-swell	1.00 0.50
792C2: Armstrong-----	95	Very limited Shrink-swell Depth to saturated zone	1.00 0.39	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.86 0.39
792D2: Armstrong-----	100	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Depth to saturated zone Slope Shrink-swell	1.00 0.63 0.50	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
793: Bertrand-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
793B: Bertrand-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Slope	0.50 0.01
793C2: Bertrand-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Slope Shrink-swell	0.86 0.50

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
795C2: Ashgrove-----	100	Very limited Shrink-swell Depth to saturated zone	1.00 0.39	Very limited Shrink-swell Depth to saturated zone	1.00 1.00	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.86 0.39
795C3: Ashgrove-----	100	Very limited Shrink-swell Depth to saturated zone	1.00 0.39	Very limited Shrink-swell Depth to saturated zone	1.00 1.00	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.86 0.39
795D2: Ashgrove-----	100	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Shrink-swell Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
795D3: Ashgrove-----	100	Very limited Shrink-swell Slope Depth to saturated zone	1.00 0.63 0.39	Very limited Shrink-swell Depth to saturated zone Slope	1.00 1.00 0.63	Very limited Slope Shrink-swell Depth to saturated zone	1.00 1.00 0.39
820: Dockery-----	90	Very limited Flooding	1.00	Very limited Flooding Depth to saturated zone	1.00 1.00	Very limited Flooding	1.00
832B: Weller-----	100	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.01

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
832C2: Weller-----	100	Very limited Shrink-swell	1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.95	Very limited Shrink-swell Slope	1.00 0.86
880B: Clinton-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Shrink-swell Slope	0.50 0.01
880C2: Clinton-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell Depth to saturated zone	0.50 0.15	Somewhat limited Slope Shrink-swell	0.86 0.50
950: Niota-----	95	Very limited Shrink-swell Depth to saturated zone	1.00 0.39	Very limited Shrink-swell Depth to saturated zone	1.00 1.00	Very limited Shrink-swell Depth to saturated zone	1.00 0.39
950B: Niota-----	100	Very limited Shrink-swell Depth to saturated zone	1.00 0.39	Very limited Shrink-swell Depth to saturated zone	1.00 1.00	Very limited Shrink-swell Depth to saturated zone Slope	1.00 0.39 0.01
950D2: Niota-----	100	Very limited Shrink-swell Depth to saturated zone Slope	1.00 0.39 0.37	Very limited Shrink-swell Depth to saturated zone Slope	1.00 1.00 0.37	Very limited Shrink-swell Slope Depth to saturated zone	1.00 1.00 0.39
952: Denrock Variant-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50	Very limited Depth to saturated zone Shrink-swell	1.00 0.50

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
977: Richwood-----	100	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
978: Festina-----	90	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50	Somewhat limited Shrink-swell	0.50
993D2: Armstrong-----	60	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone	1.00	Very limited Slope	1.00
		Slope	0.63	Slope	0.63	Shrink-swell	1.00
		Depth to saturated zone	0.39	Shrink-swell	0.50	Depth to saturated zone	0.39
Gara-----	40	Somewhat limited Slope	0.63	Somewhat limited Slope	0.63	Very limited Slope	1.00
		Shrink-swell	0.50	Shrink-swell	0.50	Shrink-swell	0.50
1057: Rushville-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
1130: Belinda-----	95	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00	Very limited Depth to saturated zone	1.00
		Shrink-swell	1.00	Shrink-swell	1.00	Shrink-swell	1.00
1131B: Pershing-----	100	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00	Very limited Shrink-swell	1.00
				Depth to saturated zone	0.95	Slope	0.01
1180: Keomah-----	95	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone	0.95	Very limited Shrink-swell	1.00
				Shrink-swell	0.50		

Building Site Development

(The information in this table indicates the dominant soil condition but does not eliminate the need for onsite investigation. The numbers in the value columns range from 0.01 to 1.00. The larger the value, the greater the limitation. See text for further explanation of ratings in this table.)

Lee County, Iowa

Map symbol and soil name	Pct. of map unit	Dwellings without basements		Dwellings with basements		Small commercial buildings	
		Rating class and limiting features	Value	Rating class and limiting features	Value	Rating class and limiting features	Value
1180B: Keomah-----	95	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Very limited Shrink-swell Slope	1.00 0.01
1181: Keomah-----	95	Very limited Shrink-swell	1.00	Very limited Depth to saturated zone Shrink-swell	0.95 0.50	Very limited Shrink-swell	1.00
1220: Nodaway-----	90	Very limited Flooding Shrink-swell	1.00 0.50	Very limited Flooding Depth to saturated zone Shrink-swell	1.00 0.61 0.50	Very limited Flooding Shrink-swell	1.00 0.50
1260: Beckwith-----	100	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00	Very limited Depth to saturated zone Shrink-swell	1.00 1.00
1316: Alluvial Land-----	90	Not rated		Not rated		Not rated	
Qu.: Quarries-----	100	Not rated		Not rated		Not rated	